



- LIST "A"
*6012 TAB
(CIRCUMFERENTIAL BARS)
STAGGER LAPS
(LAP = 22" MIN)

(1st BAR @ R=22"-11")
2 RUNS (TAB) @12" EA OF:
3-*6016 4 1-*6017
5 RUNS (TAB) @12" EA OF:
4-*6018 4 1-*6019
2 RUNS (TAB) @12" EA OF:
4-*6020 4 1-*6021
2 RUNS (TAB) @12" EA OF:
4-*6022 4 1-*6023
2 RUNS (TAB) @12" EA OF:
4-*6024 4 1-*6025
2 RUNS (TAB) @12" EA OF:
3-*6026 4 1-*6027
2 RUNS (TAB) @12" EA OF:
3-*6028 4 1-*6029
2 RUNS (TAB) @12" EA OF:
3-*6030 4 1-*6031
2 RUNS (TAB) @12" EA OF:
3-*6032 4 1-*6033
2 RUNS (TAB) @12" EA OF:
3-*6034 4 1-*6035
2 RUNS (TAB) @12" EA OF:
3-*6036 4 1-*6037
2 RUNS (TAB) @12" EA OF:
3-*6038 4 1-*6039
2 RUNS (TAB) @12" EA OF:
3-*6040 4 1-*6041
2 RUNS (TAB) @12" EA OF:
3-*6042 4 1-*6043
2 RUNS (TAB) @12" EA OF:
2-*6044 4 1-*6045
2 RUNS (TAB) @12" EA OF:
2-*6046 4 1-*6047

BAR SUPPORTS
450 LF 3 1/2" S.B.U. #48"
66 PCS 3 1/2" B.C. (STAINLESS STEEL)

SEE FCI FOR BENT BAR LIST

6

DATE 07/23/07	REV A	DESCRIPTION PISC CONNECTION	TYPICAL LAPS	LOFLAND COMPANY 4100 NORTH I-35E WAXAHACHIE, TEXAS 75165 Voice: (972) 938-9500 Fax: (972) 938-9419		DETAILS NIGHTHAWKS										
			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>#3</td><td>#8</td></tr> <tr><td>#4</td><td>#10</td></tr> <tr><td>#5</td><td>#12</td></tr> <tr><td>#6</td><td>#14</td></tr> <tr><td>#7</td><td></td></tr> </table>	#3	#8	#4	#10	#5	#12	#6	#14	#7				CHECKED BY: -
			#3	#8												
			#4	#10												
			#5	#12												
			#6	#14												
#7																
PROJECT: WWT.P. EXPANSION LOCATION: TROPHY CLUB, TEXAS CONTRACTOR: CONTROL SPECIALIST CO. ENGINEER: CDM		GRADE: 60														
		06/07/07														
		02/28/00														
		JOB NUMBER														
ALL VERIFIERS WILL BE ASSURED CORRECTION IF THEY ARE NOT ADDRESSED ON THE APPROVAL DRAWING			FINAL CLARIFIER BASE SLAB AND WALL SECTIONS													
						DRAWING NUMBER										

DATE 07/23/07	REV A	DESCRIPTION PISC CONNECTION	TYPICAL LAPS	LOFLAND COMPANY 4100 NORTH I-35E WAXAHACHIE, TEXAS 75165 Voice: (972) 938-9500 Fax: (972) 938-9419		DETAILS NIGHTHAWKS
ALL VERIFIERS WILL BE ASSURED CORRECTION IF THEY ARE NOT ADDRESSED ON THE APPROVAL DRAWING			FINAL CLARIFIER BASE SLAB AND WALL SECTIONS			
						DRAWING NUMBER

NOTE: THIS DRAWING TO BE USED FOR REINFORCING STEEL PLACEMENT ONLY